


SPECIFICATIONS	
SHELL WEIGHT:	2600 LBS.
WATER WEIGHT:	8980 LBS.
TOTAL SHELL & WATER WEIGHT:	11579.9 LBS.
WATER VOLUME:	180 Cu.Ft.
WATER GALLONS:	1346 GAL.
SURFACE AREA:	75.0 SQ. FT.
ICC ES LISTED #:	PMG-1161

NESPA ENTERPRISES, Inc.




ICC ES Listed
PMG-1161

WATERPROOF SKID SUPPORT
STRUCTURE ATTACHED TO
SPA AT NESPA FACTORY



*SKIDS SUPPLIED
BY NESPA

LIGHT NICHE



SPA BRIGHT, 120 V,
100 WATT, 50' CORD,
U.L. APPROVED

MAIN DRAIN




AquaStar 32CDLFR, 32" Channel Drain,
Approved Max Flow Rate: Floor = 236 GPM
@ 3.4 fps Wall = 136 GPM @ 1.9 fps
Complies w/ ANSI / ASME A112.19.8
& NSF / ANSI 16-2011

MAIN DRAIN SUMP



Nespa Aquastar Approved Sump
IAPMO Approval # SP4900

SIDEWALL SUCTION




AquaStar WAV9, 9" X 9" Frame,
Approved Max Flow Rate:
Floor = 316 GPM
Wall = 208 GPM
Complies w/
ANSI / ASME A112.19.8
& NSF / ANSI 16-2011

SIDEWALL SUMP




Nespa Aquastar Approved Sump
IAPMO Approval # SP4900

EQUALIZER



6" Round Hockey Puck
AquaStar 6HPHxxx
Sumpless Suction Outlet
Floor 177 GPM
Wall 122 GPM
Complies w/
ANSI / ASME A112.19.8
& NSF / ANSI 16-2011

SKIMMER



HAYWARD SP-1084FVE
SURFACE SKIMMER
W/ EQUALIZERS,
NSF / ANSI 50 - 2012

JET

HYDRO INLETS
1-1/2" WATER - 1-1/2" AIR
HYDROAIR #10-5100
COMPLIES W/ ANSI CODE ASME A112.19.8-07
UL APPROVED

RETURN

INLET FITTINGS
1-1/2" WALL TYPE W/ EYEBALL
HYDROAIR #10-3500
COMPLIES W/ ANSI CODE ASME A112.19.8-07
UL APPROVED

FILL

INLET FITTINGS
1-1/2" WALL TYPE W/ EYEBALL
HYDROAIR #10-3500
COMPLIES W/ ANSI CODE ASME A112.19.8-07
UL APPROVED

